

PREMIER EDITION

IMPRESSIVE VERSATILITY

Sooner Premier trailers combine an impressive set of options with the quality components that you expect from a Sooner living quarters model. Featuring a package of options that includes industry leading rugged, durable construction, drop-down feed doors on streetside horse area windows, aluminum wheels and a versatile horse area, these models deliver! Each model also features a spacious interior that can be customized and designed to fit your individual needs perfectly. So when you're looking for your new living quarters trailer, be sure to make the 'Premier' choice.

















EXTERIOR

- 8' outside width 7'8" inside height
- One piece aluminum roof
- .063 white aluminum side sheets
- Safety chains, breakaway brake switch w/ battery and box
- Adjustable 2^{5/16}" hitch coupler
- Stainless steel nose wrap and extruded aluminum bottom rail
- 50" drop height in gooseneck
- Single leg hydraulic jack with manual override
- One aluminum battery box and hydraulic box under drop
- Full length, Echelon® slat
- Heavy-duty feed doors w/ fold down bars (streetside)
- 19" x 26" sliding windows w/ bars (curbside)
- 50/50 rear doors w/ slat, wrap-around hinges & 19" x 26" windows
- Aluminum cam locks and locking keyed hasps on rear
- Aluminum tear drop fenders
- Two exterior tie rings per horse stall
- Four LED brake lights (in clear casing) on rear frame
- LED clearance lights (in clear casing) on top rail
- LED load light over rear door on rear frame
- Heavy-duty, corrugated aluminum interlocking floor
- Aluminum frame w/ 4" I-beams on 13" centers
- Two Dexter® rubber torsion axles
- Five 8-hole, 16" aluminum wheels
- Five Goodyear LT235/85R16G tires (includes spare)


HORSE STALLS

- Insulated side walls in horse area
- .100 aluminum up 48" high on sidewalls w/ .040 white aluminum lining above to roof
- .200 rubber up 48" high on all horse area walls and doors
- Side access door at first stall w/ three 8" hinges, one drop-down feed door w/ fold down bars, one padded breast bar and one pressure latch w/ locking keyed hasps
- Slant stall dividers w/ stall pads and slam latch
- One 5" x 9" pop up roof vent per stall
- Full-length, curbside LED light strip w/ switch on rear
- Mangers w/ breast pads and storage area below
- Carpeted manger storage area features interior lights, light switch and exterior access doors (2 on 3H; 3 on 4H)
- Padded rump bar at rear load door
- · Lifetime rubber floor mat in horse area
- Two rubber-coated interior tie rings per horse stall
- Collapsible rear tack featuring 12 bridle/halter hooks, brush tray, one saddle rack per stall on removable post and five tier pitchfork style blanket bar that extends from the wall for increased capacity

WE STAND BEHIND OUR TRAILERS! To demonstrate our confidence in our horse trailers, we offer a strong warranty to keep you covered! All Sooner trailers come with a fully transferrable, eight-year limited warranty.



SPECIFICATIONS



Trailer Model	Belly Length	Interior Height	Outside Width	Shortwall Length	Horse Stalls	Model Style	Saddle Rack	GVWR	Empty Weight	Wheel Size	Tire Specs	Axle Size
Premier 8309	23'2"	7'8"	8,	9'	3	GN	Adjustable	14,000	8,550	16" 8 hole	Goodyear	(2) 7,000
Premier 8311	25'2"	7'8"	8'	11'	3	GN	Adjustable	14,000	9,550	16" 8 hole	Goodyear	(2) 7,000
Premier 8313	27'2"	7'8"	8,	13'	3	GN	Adjustable	14,000	10,450	16" 8 hole	Goodyear	(2) 7,000
Premier 8315	29'2"	7'8"	8'	15'	3	GN	Adjustable	16,000	11,350	16" 8 hole	Goodyear	(2) 8,000
Premier 8317	31'2"	7'8"	8'	17'	3	GN	Adjustable	17,000	12,190	16" 8 hole	Goodyear	(2) 8,000
Premier 8409	25'6"	7'8"	8,	9'	4	GN	Adjustable	14,000	9,050	16" 8 hole	Goodyear	(2) 7,000
Premier 8411	28'6"	7'8"	8,	11'	4	GN	Adjustable	14,000	9,850	16" 8 hole	Goodyear	(2) 7,000
Premier 8413	30.6	7'8"	8'	13'	4	GN	Adjustable	16,000	10,850	16" 8 hole	Goodyear	(2) 8,000
Premier 8415	32'6"	7'8"	8'	15'	4	GN	Adjustable	17,000	11,450	16" 8 hole	Goodyear	(2) 8,000
Premier 8417	34'6"	7'8"	8'	17'	4	GN	Adjustable	18,000	12,830	16"8 hole	Goodyear	(2) 8,000













Sooner reserves the right to make specification changes at any time without notice or obligation. All dimensions and specifications listed in this brochure are approximate.



INTERIOR FEATURES

GENERAL FEATURES

- Leather touch walls and ceiling in living and sleeping areas
- Residential grade linoleum package
- Textured, leather-touch window valances w/ wooden window rings and pleated shades
- Tempered safety glass louvered windows w/ positive locks and screens
- Large camper door w/ screen door and camper step
- Lighted closet storage compartments
- High intensity LED recessed ceiling lights
- Pressure water system w/ large fresh water tank and two large waste water tanks
- 6 gallon water heater
- Sewer dump hose and holder
- City water hook up and outside water spigot
- Two RV/marine batteries and dual 20 lb. propane tanks w/ regulator
- 50' power cord
- 55 amp converter
- Smoke alarm and fire extinguisher
- 110 volt exterior receptacle, exterior porch light and lighted grab handle
- Safety features include smoke alarm, fire extinguisher, LP and CO detector

KITCHEN FEATURES

- Solid wood edged counter tops and table
- Raised panel cabinet doors w/ solid wood cabinet faces
- Stainless steel sinks
- Sofa sleeper w/ pedestal table
- Full overhead storage cabinets above dinette and kitchen counter
- 3 cu. ft. refrigerator

BEDROOM FEATURES

- Carpeted bedroom area
- Memory foam mattress (60 x 80)
- LED reading lights in bedroom
- Full hanging closets in gooseneck

BATHROOM FEATURES

- Thetford flush toilet
- Large shower w/ glass shower door
- Linen and storage cabinets
- Privacy bathroom door
- Lighted power roof vent in bathroom
- Towel rack, towel ring, and toilet paper holder
- Walk thru door to horse area

RECOMMENDED OPTIONS

- 13,500 BTU air conditioner w/ heat strip and solid wood cover
- 16,000 BTU furnace
- Black 2 burner gas cook top w/ lid and black vented range hood
- Black or stainless microwave oven
- AM-FM stereo CD w/ 2 inside speakers and 2 outside speakers







Follow Sooner Trailers:



